

Botanical Garden Birds Walks 2017

| 17-07-11 | <---- May ----> | | | | <- Jun -> | | <- Jul -> | | <- Aug -> | | <-Sept-> | | <--- Oct---> | | | * |
|------------------------------|-----------------|----|-----|-----|-----------|----|-----------|------|-----------|-----|----------|-----|--------------|-----|-----|----------------|
| Bird Names/Date | 7 | 14 | 21 | 28 | 11 | 25 | 9 | 23 | 6 | 20 | 4 | 17 | 1# | 15# | 29# | Non-walk times |
| Walk Leader(s) | HJC | AM | GKH | AH | GKH | AH | HJC | AM | AH | GKH | HJC | AH | GKH | AM | HJC | |
| 1 Common Loon | | | 3 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | |
| 2 Black Duck | 6 | V | 5 | 6 | 5 | 11 | | 10 | 12 | 15 | | 12 | | 10 | X | |
| 3 Mallard (& hybrids) | | 1 | 5 | 3 | | | | | 8 | 10 | XX | 4 | 16 | | | |
| 4 Pintail | | | | | | | | (5→) | | | | | | | | Jul 25 |
| 5 Ring-necked Duck | | | | | | | | | | | | | | | 1 | |
| 6 Tufted Duck | | 2 | | | | | | | | | | | | | | |
| 7 Ruffed Grouse | 1 | 2 | H | 2 | 2 | | 3+ | | | | | | | 1 | | |
| 8 Merlin | | | | 1 | | | | | | | | | | | | |
| 9 Osprey | 1* | 1* | 1* | 2* | | 1* | 2+** | 2* | 3* | 2* | 3* | 1 | 1 | | | |
| 10 Bald Eagle | | | | 1 | | | | | | | | | | | | |
| 11 Sharp-shinned Hawk | | | | | | | | | | | 1 | | | | | |
| 12 Northern Goshawk | | | | | | | | | 1 | 1 | | | | | | |
| 13 Wilson's Snipe | | | | | | | | | | | | | | | | |
| 14 Herring Gull | X | 1 | | X | | X | 1 | 2* | 5 | | | | | | | |
| 15 Gt Black-backed Gull | | | | 2 | | 2 | | | | | | | | | | |
| 16 Rock Pigeon | | | | | 1 | | | | | | | 4 | | | 7 | |
| 17 Great-horned Owl | | | → | 1 | 1 | | | | | | | 1 | | | | May 23 |
| 18 Belted Kingfisher | | | | | | | | | | 1H | | | | | | |
| 19 Hairy Woodpecker | | | | | | | | | | | 1 | 1 | | | | |
| 20 Black-backed Woodpecker | | | | | | | 2 | | | | | H | | | | |
| 21 Common Flicker | H | 1 | H | 3H | 1H | | | 1 | | 1H | 1 | 4 | 3 | 3 | | |
| 22 Yellow-bellied Flycatcher | | | 2 | | 2H | H | | | | | | | | | | |
| 23 Gray Jay | 1 | | | | | | | | | | | | | | | |
| 24 Blue Jay | H | 4 | 2 | 4 | 5 | 4 | 1+ | | 6H | 1 | V | 6 | 2 | 3 | | |
| 25 Crow | V | 26 | 3 | 6 | 6 | 4 | 1 | 1 | 6 | 4 | V | H | 5 | 1 | 8 | |
| 26 Raven | | 1 | | | | 2 | | | | 1 | | | | | 1 | |
| 27 Tree Swallow | | | 1 | | 2 | | 6+* | 1 | | | | | | | | |
| 28 Black-capped Chickadee | | 2 | 2 | 2 | 1H | | 2+ | 1H | 6 | 7 | V | 6 | | 10 | 1+ | |
| 29 Boreal Chickadee | 1 | 1 | | | 2 | H | | 3* | 4H | 2 | 2 | 2H | 2 | 2 | | |
| 30 Red-breasted Nuthatch | | | | | 2 | | | | | | | | | | | |
| 31 Golden-crowned Kinglet | | | | | | | | | 1H | | | | | | | |
| 32 Ruby-crowned Kinglet | | 1 | | | 3 | | | 1 | | | | | | | | |
| 33 American Robin | V | 4 | 4 | 5 | 5 | 8 | V | 8 | XX | 4 | 3X | 30+ | 12 | 2 | X | |
| 34 Hermit Thrush | | | | | | | | | | | | 1 | | | | |
| 35 European Starling | | 2 | | 4 | 5 | X | | 2 | | | V | 2 | 2 | | | |
| 36 Cedar Waxwing | | | | | | | | | | 1H | 1H | 2 | 1 | | | |
| 37 Black and White Warbler | | | 1 | 1H | 2 | 1 | | | | 3 | | | | | | |
| 38 Northern Waterthrush | | | | 2H | 6 | 2H | | | 2H | | | | | | | |
| 39 Yellow Warbler | | | | | 3 | | | | | | | | | | | |
| 40 Blackpoll Warbler | | | 3 | | 1H | | | | | | | | | | | |
| 41 Yellow-rumped Warbler | 1+ | 6 | 19 | 6 | 3 | 6 | | | 8 | | 1 | 6 | | | | |
| 42 Wilson's Warbler | | | | | | | | | | | | | | | | |
| 43 Fox Sparrow | H | 2 | | H | 3 | 2H | | 2 | 1 | | | 2 | | | | |
| 44 Dark-eyed Junco | V | 6 | 8 | 6 | 7 | 6 | V | 12 | 12 | 6 | XX | 6 | 3 | 10 | XV | |
| 45 White-throated Sparrow | 1+ | 3 | 6 | 6 | 1 | 2 | | 4 | 2 | 10 | X | 4 | | | | |
| 46 Swamp Sparrow | | | 4 | H | 1 | 2H | | 2 | 1H | | | 1 | | | | |
| 47 Purple Finch | 1+ | 1 | | H | 1 | | | 1H | H | 2H | | | | | | |
| 48 Pine Grosbeak | | | | | | | | | | 3 | | 2 | | | | |
| 49 Red Crossbill | | | | | | | | | | | | | | | | |
| 50 White-winged Crossbill | | | | | | | | | | | | | | | | |
| 51 Pine Siskin | | | | 4 | 3 | 5 | | | 2 | | | 2 | | | | |
| 52 American Goldfinch | | 2 | | | 5 | 2 | | 2H | | | | | | 2 | | |
| Number of Species | 13 | 22 | 19 | 25 | 28 | 22 | 11 | 17 | 20 | 18 | 15 | 23 | 10 | 10 | 8 | |
| Walk Leader(s) | HJC | AM | GKH | AH | GKH | AH | HJC | AM | AH | GKH | HJC | AH | GKH | AM | HJC | |
| Number of Observers | 9 | 5 | 4 | 2H | 9 | 6 | 4 | 5 | 8 | 7 | 5 | 4 | 5 | 6 | 7 | |
| Weather | C | F | FI | SC | S | CS | C | S | S | S | SC | S | S | SC | CD | |
| Temperature/°C | 2 | 0 | 2 | 2 | 12 | | 18 | 16 | 20 | 9 | 12 | 12 | 5 | 12 | 7 | |
| Time/hrs | 2 ½ | 2 | 2 ½ | 2 ½ | 3.0 | 2¼ | 2½ | 2¼ | 2¾ | 2½ | 2½ | 2.3 | 2.0 | 2¼ | 2.0 | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, (L)R = (Light)Rain, D = Drizzle, F = Fog, FI = flurries C = Cloudy, W = Windy, M = mist over pond,

* Nesting ** includes nestlings, Includes ducklings

Start at 9.00 a.m.

Botanical Garden Birds Walks 2015

| 4-30-2022 | <- May -> | | <- Jun -> | | < -July -> | | <--- Aug ---> | | | <-Sept-> | | <- Oct -> | | * |
|-------------------------------|-----------|------|-----------|-----|------------|------|---------------|-----|-----|----------|-----|-----------|-----|----------------|
| Bird Names/Date | 10 | 24 | 7 | 21 | 5 | 19 | 2 | 16 | 30 | 13 | 27 | 11¶ | 25¶ | Non-walk times |
| Walk Leader(s) | hjc | ah | gkh | am | hjc | ah | gkh | am | am | gkh | hjc | | ah | |
| 1 Common Loon | | | | | | | 1 | 1 | H | | | | | |
| 2 Mallard (& hybrids) | | 4 | | | | x | | | | | | | 1m | |
| 3 Black Duck | 5 | | 9 | 15 | 3X | xv | xxv | 14 | 22 | 25 | 35 | | 30 | |
| 4 Tufted Duck | 4 | | | | | | | | | | | | | |
| 5 Ring-necked Duck | | 3m1f | | | | | | | | | | | | |
| 6 Sharp-shinned Hawk | | | | | | | | | | | | | | |
| 7 Osprey | | 2 | 2 | 1 | 1 | 2 | 2 | 3 | | 2 | 1H | | | |
| 8 Merlin | | | | | | | | | | | | | | |
| 9 Ruffed Grouse | | | | | | 1 | | 1 | | | | | 1 | |
| 10 Greater Yellowlegs | | | | | | | | | 1H | | | | | |
| 11 Wilson's Snipe | | H | | | | | 1 | | | | | | | |
| 12 Common Tern | | | | | | | | | | | | | | |
| 13 Herring Gull | ↓5? | 4 | | 6 | V | 5 | 1 | 2 | 2 | 1 | | | 2 | |
| 14 Ring-billed Gull | ↑5? | | | | | | | | | | | | | |
| 15 Great Black-backed Gull | | | | | | | | | | | | | | |
| 16 Belted Kingfisher | | | | | | | | | 1 | 1 | | | | |
| 17 Common Flicker | 1H | 2 | 1 | 1 | 2 | | H | 1 | 3 | 3 | 2H | | H | |
| 18 Black-backed Woodpecker | | | | | | 1H | | 1 | 1 | 1 | | | | |
| 19 Blue Jay | | 2 | 2 | 5 | V | 4 | 3 | 3 | 4 | 10 | 2 | | 10 | |
| 20 Raven | | | | | | | | | | 2H | | | 1 | |
| 21 Crow | 1H | 6 | 2 | 4 | 6 | 3 | | 5 | LX | 17 | | | 10+ | |
| 22 Tree Swallow | | 1 | 3 | 2 | 7 | 6 | | | | | | | | |
| 23 Black-capped Chickadee | | 3 | 3 | 6 | 10 | 4 | 7 | 16 | 12 | 5 | H | | 2 | |
| 24 Boreal Chickadee | | | 1 | 1 | 2 | 10 | 3 | 10 | 8 | 2 | 6 | | 10+ | |
| 25 Red-breasted Nuthatch | | | 2 | 4 | 2h | | 2 | | | 3 | 1 | | | |
| 26 American Robin | 3 | 6 | 4 | 8 | X | 6 | 4 | 5 | 8 | 10 | X | | 25+ | |
| 27 Golden-crowned Kinglet | | | | | | | | | | | | | 2 | |
| 28 Ruby-crowned Kinglet | 1H | 3 | 3 | 1 | 1h | | | | | 1 | | | | |
| 29 Brown Creeper | | | | | | | | | | | | | | |
| 30 Cedar Waxwing | | | | 6 | 3 | | | 3 | | H | | | | |
| 31 European Starling | 4 | 10 | 1 | 4 | 1 | 4 | 2 | | 2 | | 1 | | | |
| 32 Yellow-bellied Flycatcher | | | 2H | 1 | | | 3 | 1 | | | | | | |
| 33 Wilson's Warbler | | 1 | | | | | | | | | | | | |
| 34 Black and White Warbler | | | 2H | 1 | | | | | | 2 | | | | |
| 35 Black-throated Grn Warbler | | | | | | | | | | | | | | |
| 36 Yellow-rumped Warbler | | 15 | 10 | | 1 | 8 | 1 | 1 | 2 | 1 | 1 | | | |
| 37 Yellow Warbler | | | | | | | | 1 | | | | | | |
| 38 Blackpoll Warbler | | | 5 | 3 | 2h | | 1 | | 2 | | | | | |
| 39 Northern Waterthrush | | 3 | 3H | 3 | 3h | | 2H | 3 | 1 | | | | | |
| 40 White-throated Sparrow | | 2H | 4 | 3 | 7 | 4 | 1 | | 2 | 2 | | | | |
| 41 Fox Sparrow | | | 2 | 1 | | | 2 | | 2 | | | | | |
| 42 Swamp Sparrow | | H | 1H | 4 | 4 | 4 | 1H | 4 | 1 | | | | | |
| 43 Dark-eyed Junco | 8 | 15 | 14 | 14 | 7 | x | 3 | 8 | 5 | 3 | V | | 6 | |
| 44 American Goldfinch | | H | | 2 | | | | 1 | 3 | | | | 1 | |
| 45 Evening Grosbeak | | | 1H | | | | | | | | | | | |
| 46 Pine Siskin | | | | | | 1 | H | | 1 | | | | | |
| 47 Purple Finch | | | | | 1h | 8 | | | | 1 | | | H | |
| 48 Pine Grosbeak | | | | | | | | | | | | | 2 | |
| 49 Red Crossbill | | | | | | 2m+f | 2 | | | | | | | |
| 50 | | | | | | | | | | | | | | |
| 51 | | | | | | | | | | | | | | |
| 52 | | | | | | | | | | | | | | |
| Number of Species | 9 | 20 | 22 | 23 | 21 | 19 | 22 | 21 | 22 | 20 | 11 | | 16 | |
| Walk Leader(s) | hjc | ah | gkh | am | hjc | ah | gkh | am | am | gkh | hjc | | ah | |
| Number of Observers | 1 | 6 | 5 | 1 | 7 | 8 | 5 | 2 | 9 | 6 | 5 | | 8 | |
| Weather | LR | CW | D | C | SC | C | S | SC | C | F | C | | S | |
| Temperature/°C | 2 | 5 | 12 | 10 | 15 | 9 | 15 | 18 | 15 | 15 | 5 | | 5 | |
| Time/hrs | 1 | 2 | 2.5 | 2.0 | 2 | 2.5 | 2.5 | 3.0 | 2.0 | 2.0 | 2¼ | | 2.0 | |

Thanksgiving: Garden Closed.

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, (L)R = (Light)Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy, M = mist over pond,

* Nesting † Includes ducklings

§ Gusts to 100 km/h

¶ Starting time 9.00 a.m.

Botanical Garden Birds Walks 2014

| 4-30-2022 | <- May -> | | <---- Jun ----> | | | < July > | | < Aug > | | < Sept > | | <- Oct -> | | * |
|---------------------------------|-----------|-----|-----------------|-----|-----|----------|------|---------|----|----------|-----|-----------|-----|----------------|
| Bird Names\Date | 4 | 18 | 1 | 15 | 29 | 13 | 27 | 10 | 24 | 7 | 21 | 5† | 19† | Non-walk times |
| Walk Leader(s) | hjc | ah | gkh | gkh | gkh | ah | ah | gkh | am | gkh | gkh | am | ah | |
| 1 Common Loon | | | | | | | | | | | | | | |
| 2 Mallard (& hybrids) | V | | 8 | 12 | X | | | | | 6 | | | | |
| 3 Black Duck | | 2 | 4 | 6 | 16 | X | XX | | | 5 | | 20 | | |
| 4 Pintail | | | | | | | | | | | | | | |
| 5 Tufted Duck | 15 | | | | | | | c | k | | g | | | |
| 6 Sharp-shinned Hawk | | | | | | | | a | e | | a | | | |
| 7 Bald eagle | | | | 2 | | | | n | y | | r | | | |
| 8 Osprey | 1* | | | 1 | | 1* | 2 | c | | 3 | d | | | |
| 9 Merlin | | | | | | | | e | m | | e | | | |
| 10 Ruffed Grouse | 1* | | 1H | | | | | l | i | | n | | | |
| 11 Wilson's Snipe | | | 1H | 1H | | | | l | s | | | | | |
| 12 Common Tern | | | | | | | | e | s | | c | | | |
| 13 Herring Gull | 2 | 3 | | | | 2 | | d | i | | l | | | |
| 14 Great Black-backed Gull | | | | | | 1 | | | | n | o | | | |
| 15 Belted Kingfisher | | | | | | | | | g | | s | | | |
| 16 Common Flicker | 2+ | 2H | 2 | 1 | 1H | 2 | | | | H | e | 2 | | |
| 17 Blue Jay | V | H | 2 | 6 | 4 | H | H | | | 2 | d | 5 | | |
| 18 Gray Jay | | | | | | | | | | 2 | | | | |
| 19 Common Raven | | | | | | | | | | 2 | | | | |
| 20 Crow | | 1 | V | 11 | 5 | XV | V | | | 2 | | 4 | | |
| 21 Tree Swallow | | | 2 | 3 | 3 | 2 | | | | | | | | |
| 22 Black-capped Chickadee | V* | 3 | 1 | 1 | 4 | 2 | V | | | 13 | | 4 | | |
| 23 Boreal Chickadee | 1+ | 5 | 1 | | 1 | 4 | 8 | | | 3 | | 10 | | |
| 24 Red-breasted Nuthatch | 1+H | 3 | 2H | 1H | | 1 | 7 | | | 4 | | 2 | | |
| 25 American Robin | X | 8 | 5 | 6 | 6 | X | XV | | | XV | | 15 | | |
| 26 Golden-crowned Kinglet | | | | | | | 6 | | | 1 | | 6 | | |
| 27 Ruby-crowned Kinglet | | 3 | 8 | 2H | | | | | | | | | | |
| 28 Brown Creeper | | | | | | | | | | | | | | |
| 29 Cedar Waxwing | | | | 1H | 7 | | | | | H | | | | |
| 30 European Starling | V | 2 | 1 | 6 | 1 | H | 4 | | | | | 12 | | |
| 31 Yellow-bellied Flycatcher | | | | 1H | 5H | | 1H | | | | | | | |
| 32 Wilson's Warbler | | | | | 1H | | | | | | | | | |
| 33 Black and White Warbler | | 2H | 3 | 2 | 2H | 1H | | | | | | | | |
| 34 Black-throated Green Warbler | | | 1♀ | | | | | | | | | | | |
| 35 Yellow-rumped Warbler | | XV | XV | 8 | 5 | 6 | 2 | | | 1 | | | | |
| 36 Yellow Warbler | | | 1 | 1H | 1H | | | | | | | | | |
| 37 Blackpoll Warbler | | | 1H | 1H | 1H | 2 | | | | 3 | | | | |
| 38 Northern Waterthrush | | H | 2H | | 2H | 3 | | | | | | | | |
| 39 White-throated Sparrow | | 3 | 6 | 2 | 8 | V | 3 | | | | | | | |
| 40 Fox Sparrow | 1H | H | 1H | 1H | | 1 | 3 | | | | | | | |
| 41 Swamp Sparrow | | 3 | 3 | 1 | 5 | 3 | | | | 1 | | | | |
| 42 Dark-eyed Junco | V | 8 | X | 9 | 13 | XV | X | | | 7 | | 12 | | |
| 43 American Goldfinch | 1+ | 1 | | | 2H | 2 | | | | | | 1 | | |
| 44 Evening Grosbeak | | | | | | 2 | | | | | | | | |
| 45 Pine Siskin | | H | 2 | | | lots | lots | | | | | | | |
| 46 Pine Grosbeak | | | | | | 2 | | | | | | 2 | | |
| 47 Purple Finch | | 2H | | 1H | 2H | | | | | | | | | |
| 48 | | | | | | | | | | | | | | |
| 49 | | | | | | | | | | | | | | |
| Number of Species | 15 | 21 | 25 | 25 | 23 | 25 | 16 | | | 18 | | 13 | | |
| Walk Leader(s) | hjc | ah | gkh | gkh | gkh | ah | ah | gkh | am | gkh | gkh | am | ah | |
| Number of Observers | 3 | 1 | 8 | 6 | 5 | 3 | 6 | | | 5 | | 4 | | |
| Weather | C | RDF | F | S | FS | CS | S | | | D,W | | S | | |
| Temperature/°C | 3 | 5 | 3 | 12 | 9 | 18 | 20 | | | 21 | | 9 | | |
| Time/hrs | 1.5 | 2 | 2.5 | 2.5 | 2.5 | 2.0 | 2.5 | | | 2.5 | | 2.5 | | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy, M = mist over pond,

* Nesting † Includes ducklings

§ Gusts to 100 km/h

‡ Starting time 9.00 a.m.

*Osprey on nest, appeared to be feeding young. Seen from lookout and end of fen.

Botanical Garden Birds Walks 2013

| 4/30/2022 | <- May -> | | <---- Jun ----> | | | < July > | | < Aug > | | < Sept > | | <- Oct -> | | * |
|------------------------------|-----------|------|-----------------|-----|-----|----------|-----|---------|-----|----------|-----|-----------|-----|----------------|
| Bird Names/Date | 5 | 19 | 2 | 16 | 30 | 14 | 28 | 11 | 25 | 8 | 22 | 6* | 20* | Non-walk times |
| Walk Leader(s) | hjc | gkh | ah | hjc | ah | gkh | ah | hjc | ah | gkh | hjc | ah | gkh | |
| 1 Common Loon | | | | | | | | 1 | | | | | | |
| 2 Mallard (& hybrids) | 1 | 2 | 5 | | | | 5 | 2 | | | | | | |
| 3 Black Duck | 7+ | 8 | 15 | XX | 30 | 36 | 25 | XX | XX | 22 | XXX | 25 | XXV | |
| 4 Pintail | | | | | | | | 1 | | | | | | |
| 5 Sharp-shinned Hawk | | | | 1 | | | | | 1 | | | | | |
| 6 Bald eagle | | | | | | | | 1imm | | | | | | |
| 7 Osprey | | 1(H) | 1** | | 2** | 1 | 2** | 2** | 1+1 | 1 | | | | 05.05 -1 |
| 8 Merlin | | | | | | | | | | 1 | | | | |
| 9 Ruffed Grouse | | | | | | | | | | | | 1 | 1 | |
| 10 Common Tern | | | | 1 | | | | | | | | | | |
| 11 Herring Gull | | 8 | 5 | V | | 2 | 1 | V | 6 | | V | | | |
| 12 Great Black-backed Gull | | | 1 | | | | | | 1 | | | | | |
| 13 Belted Kingfisher | | | | | 1 | | | 1 | | 1H | 1 | | H | |
| 14 Common Flicker | 2+ | | 1f | H | | 1 | | | 2H | 1 | 1+ | 2 | H | |
| 15 Hairy Woodpecker | | | | 1? | | | | | | | | 1m | | 06.05 – 1♀ |
| 16 Blue Jay | | 3 | 4 | 2 | | 3 | H | V | 6 | 5 | V | 6 | 10 | |
| 17 Gray Jay | | | | | | | | | | 1 | | | | |
| 18 Common Raven | | | H | | | | | | | | | | | |
| 19 Crow | V | 2 | 4 | H | | 2 | 6 | V | 2 | 5 | V | X | 6 | |
| 20 Tree Swallow | | | 4 | 1 | 4 | 6 | | | | | | | | |
| 21 Black-capped Chickadee | | 1 | | 1 | H | 2 | 6 | | 6 | 4 | 2+ | 8 | 8 | |
| 22 Boreal Chickadee | | | | | | 6 | 8 | | 4 | 4 | 6+ | 6 | 13 | |
| 23 Red-breasted Nuthatch | | 1(H) | H | | | 1H | 1H | | 4H | 2H | | | 3 | |
| 24 Hermit Thrush | | | | | | | 1 | | | | | | | |
| 25 American Robin | V | 2 | 10 | V | 10 | 2 | 30+ | V | X | 4 | 2 | 30+ | 12 | |
| 26 Golden-crowned Kinglet | | 3 | H | | | 1H | | | | 1H | 6 | | 5 | |
| 27 Ruby-crowned Kinglet | | 1(H) | H | | | | | | | | | | | |
| 28 Brown Creeper | | | | | | | | | | | | 2 | | |
| 29 Cedar Waxwing | | | | 6 | 1 | 1 | 4 | | | 10 | | | | |
| 30 Starling | 2+ | 3 | H | 1+ | | | 60+ | | 1 | | | X | 6 | |
| 31 Yellow-bellied Flycatcher | | | | | 2H | 1H | | | | | | | | |
| 32 Wilson's Warbler | | | 1H | | | | | | | | | | | |
| 33 Black and White Warbler | | 7 | | | ?H | | | | | | | | | |
| 34 Yellow-rumped Warbler | | 13 | 10 | 2 | 5 | 4 | 8 | | 3H | 1 | | | | |
| 35 Yellow Warbler | | | | | | 2H | | | | | | | | |
| 36 Blackpoll Warbler | | | | | | 1H | | | | | | | | |
| 37 Northern Waterthrush | | | 1H | 1H | | 2H | | | | | | | | |
| 38 White-throated Sparrow | | 2 | 6 | | 5 | 6 | 3 | | 2 | 2 | | | | |
| 39 Fox Sparrow | | 5 | 5 | | 2H | 2H | 1H | 1 | | | | | | |
| 40 Chipping Sparrow | | | | | | | | | | 1 | | | | |
| 41 Swamp Sparrow | | | 2 | H | | | 3 | 1 | | | | 1 | | |
| 42 Dark-eyed Junco | V | 6 | 10 | V | 5 | 5 | 10 | 2 | X | 4 | 1+ | XX | XXV | |
| 43 American Goldfinch | | | H | | H | 2 | 2H | | 2H | 2 | | 2H | | |
| 44 Pine Siskin | | | | | | 1 | 2 | | 2H | | | | | |
| 45 Pine Grosbeak | | | | | | | | | 1♂ | | | | | |
| 46 Purple Finch | | 2 | 1 | | | 1 | | | | | | H | | |
| Number of Species | 7 | 18 | 24 | 17 | 14 | 24 | 20 | 15 | 19 | 19 | 11 | 15 | 13 | 17 |
| Walk Leader(s) | hjc | gkh | ah | hjc | ah | gkh | ah | hjc | ah | gkh | hjc | ah | gkh | |
| Number of Observers | 1 | 6 | 9 | 7 | 8 | 11 | 3 | 3 | 1 | 3 | 3 | 2 | 2 | 5 |
| Weather | S | RDF | C | C-S | scw | S | C | C | FCS | C | SC | CR | DC | |
| Temperature/°C | 8 | 5 | 7 | 10 | 23 | 23 | 18 | 20 | 11 | 13 | 15 | 8 | 6 | |
| Time/hrs | 1½ | 2 | 2 | 2½ | 2 | 2 | 2¼ | 2½ | 1½ | 2 | 2½ | 1¼ | 2 | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy, M = mist over pond,

* Unusual birds seen on other days. § Gusts to 100 km/h

¶ Starting time 9.00 a.m.

† Includes ducklings ** Osprey seen on nest

Botanical Garden Birds Walks 2012

| 4/30/2022 | <- May -> | | < Jun > | | < July > | | < Aug > | | < --- Sept -- > | | | <- Oct -> | | * |
|----------------------------|-----------|-----|---------|-----|----------|------|---------|-----|-----------------|-----|-----|-----------|-----|---------------|
| Bird Names/Date | 20 | 27 | 10 | 24 | 8 | 22 | 5 | 19 | 2 | 16 | 30 | 14† | 28† | Non-walk days |
| Walk Leader(s) | gkh | hjc | gkh | hjc | ah | gkh | hjc | ah | hjc | gkh | ah | gkh | hjc | |
| 1 Common Loon | 1H | | | 1 | | | H | | | c | | | c | |
| 2 Mallard (& hybrids) | | 2 | 1 | 2 | 3 | | V | 3 | 1 | a | 5 | 1 | a | |
| 3 Black Duck | 21† | XV† | L† | XXX | XX | XV | XX | 31 | XXX | n | XXV | 28 | n | |
| 4 Tufted Duck | | | | | | | | | 1♂ | c | | | c | 3 Early May |
| 5 Ring-necked Duck | | | | | | | | | | e | | | e | Early May |
| 6 Osprey | 1 | | | | 1 | | | 1 | | l | | | l | |
| 7 Ruffed Grouse | 1H | | | | | 1 | | | | l | | | l | |
| 8 Common Snipe | 1 | | | | | | | | | e | | | e | |
| 9 Common Tern | | | 2 | | | | | | | d | | | d | |
| 10 Herring Gull | | 1+ | 3 | | 5 | 2 | 2 | 2 | | | | | | |
| 11 Great Black-backed Gull | | | | | | | | 1 | | s | | | | |
| 12 Belted Kingfisher | | | | | | | 1♀ | | 2 | t | H | 1 | | |
| 13 Common Flicker | | H | 1 | | H | 1 | H | | | o | | | | |
| 14 Black-backed Woodpecker | | | | | | | | | | r | | | | Aug/Sep |
| 15 Blue Jay | 1 | 2 | 4 | 1+ | H | | 1 | H++ | V | m | 6 | 1 | | |
| 16 Crow | 4 | V | 1 | V | 3 | 4 | 2 | 3 | | | 4H | 1 | 1H | |
| 17 Tree Swallow | 3 | 3 | | 2 | 2 | 4 | | | | d | | | | |
| 18 Black-capped Chickadee | 5 | 2+ | 1H | 1 | | 7 | | 6+ | H | a | 6+ | 9 | | |
| 19 Boreal Chickadee | | | 4 | | 3 | 4 | | 6+ | | m | H | 2 | | |
| 20 Red-breasted Nuthatch | 5 | 3+ | | | | 4 | 2 | 2 | 1 | a | H | | | |
| 21 American Robin | 4 | V | 6 | 3 | 8 | X | XXX | XX | X | g | 2H | 1 | | |
| 22 Golden-crowned Kinglet | | 2 | 1H | | | 2H | | 4 | | e | | 7 | | |
| 23 Ruby-crowned Kinglet | 5 | | | | | | | | | | | | | |
| 24 Starling | 4 | 1 | 1 | | 1 | 100s | L | | | | 2 | | | |
| 25 American Redstart | | 1 | 1H | | | | | | | | | | | |
| 26 Wilson's Warbler | | H | | | | | | | | | | | | |
| 27 Black and White Warbler | 5 | 2H | 1H | | 1 | | | 1♀ | | | | | | |
| 28 Yellow-rumped Warbler | 15 | V | 5 | 1H | 4 | 4 | XX | XX | | | | | | |
| 29 Yellow Warbler | | | | | | 1 | | | | | | | | |
| 30 Blackpoll Warbler | 1 | 3+H | | | 2 | 1H | | | | | | | | |
| 31 Northern Waterthrush | | 2+H | 1H | 2H | | | | | | | | | | |
| 32 White-throated Sparrow | 1 | 2H | 1H | | H | | | 2 | | | 2H | | | |
| 33 Fox Sparrow | 4 | 1H | 3 | | H | 1H | | | | | 1** | 1 | | ** singing |
| 34 Swamp Sparrow | 1 | | 1H | | 3 | | 3 | | | | | | | |
| 35 Dark-eyed Junco | 5 | V | 14 | 1+ | 2 | 9 | XXX | XX | V | | X | XV | | |
| 36 American Goldfinch | | H | 1H | | 1 | | | 4 | | | | | | |
| 37 Pine Siskin | | | 6 | | 1 | | 4 | 6 | | | H | | | |
| 38 Pine Grosbeak | | | 2 | | 1 | | | | | | 3H | | | |
| 39 Purple Finch | | | 1H | | | | | H | | | H | | | |
| Number of Species | 20 | 22 | 24 | 11 | 21 | 17 | 15 | 19 | 9 | | 16 | 11 | 1 | |
| Walk Leader(s) | gkh | hjc | gkh | hjc | ah | gkh | hjc | ah | hjc | gkh | ah | gkh | hjc | |
| Number of Observers | 6 | 3 | 3 | 1 | 5 | 10 | 6 | 10 | 3 | | 3 | 2 | 1 | |
| Weather | S | SC | F | S | RC | S | S | C | S/C | | S | SW | WR | |
| Temperature/°C | 14 | 12 | 10 | 15 | 15 | 16 | 16 | 16 | 15 | | 10 | 5 | | |
| Time/hrs | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | 2 | 2 | 0 | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy, M = mist over pond,

* Unusual birds seen on other days. § Gusts to 100 km/h ¶ Starting time 9.00 a.m.

† Includes ducklings

Botanic Garden Birds Walks 2011

| 04/30/2022 | <--- May ---> | | | < Jun > | | < July > | | | < Aug > | | < Sept > | | | <--- Oct ---> | | * |
|------------------------------|---------------|-----------|------------|------------|-----------|------------|------------|-----------|------------|------------|-----------|------------|------------|---------------|---|-----------|
| Bird Names\Date | 1 | 15 | 29 | 12 | 26 | 10 | 24 | 7 | 21 | 4 | 18 | 2 | 16¶ | 30¶ | | |
| Walk Leader(s) | hjc | ah | gkh | hjc | ah | gkh | hjc | ah | gkh | gkh | ah | gkh | hjc | ah | | |
| 2 Common Loon | | | | | | | | | 1H | | | | | | | 06.25 – 1 |
| 3 Mallard (& hybrids) | 1 | 6 | 2 | | V | V | 6 | 1 | | | X | 3 | 1 | X | | |
| 4 Black Duck | 1 | 4 | 12 | XXX | 3 | XV | | 6 | 14 | 13 | XX | 15 | XXX | XX | | |
| 5 Ring-necked Duck | | | | | | | | | | | 6im | 5 | | | | |
| 6 Osprey | | | 2 | | | | | | | | 1 | 1 | 1 | | | |
| 7 Sharp Shinned Hawk | | | | | | | | | | 1 | | | | | | |
| 8 Merlin | | | | | H | | | | | | 1 | 1 | | | | |
| 9 Greater Yellowlegs | | | | | | H | | | | | | | | | | |
| 10 Herring Gull | 1 | | | 1 | 1 | 2 | | | 3 | | 1 | 3 | V | | | |
| 11 Great Black-backed Gull | | | | | | | | | | | | | | | 1 | |
| 12 Belted Kingfisher | | | | | | | 1♂ | | 1H | 1H | | | | H | | |
| 13 Common Flicker | | H | H | | | | H | | | 1H | 1 | 4 | | 4 | | |
| 14 Yellow-bellied Flycatcher | | | | | 2 | | | H | | | | | | | | |
| 15 Blue Jay | | H | H | 2 | H | | H | 2 | 3 | 5 | 5 | 5 | H | 10+ | | |
| 16 Crow | | X | 4 | 2 | X | 3 | | H | 1 | 3 | 4 | 1 | 5X | 10+ | | |
| 17 Tree Swallow | | | | | | 1 | 1 | | | | | | | | | |
| 18 Black-capped Chickadee | 2 | 4 | 3 | | H | 1 | | 4 | 8 | 3 | 3 | | 2 | H | | |
| 19 Boreal Chickadee | | 4 | | | 2 | | | 4 | 3 | | 4 | | 2 | | | |
| 20 Brown Creeper | | | | 2 | | | | | | | | | | | | |
| 24 Red-breasted Nuthatch | | H | | | H | H | | | 5 | 2H | 4 | | 2 | | | |
| 22 American Robin | | X | 5 | V | V | 3 | 3 | | 3 | 1 | 8 | 6 | XX | 30+ | | |
| 23 Golden-crowned Kinglet | | | | | | | | 1 | | | | | | | | |
| 24 Ruby-crowned Kinglet | | H | | | | | | | | | | | | | | |
| 25 Starling | | X | | | H | | | | | | 3 | | 1 | 10+ | | |
| 26 Black and White Warbler | | | H | H | 1 | | | | H | 1 | | | | | | |
| 27 Yellow-rumped Warbler | | 8 | 7 | 2+ | 2H | 2 | 1♂ | 1 | 5 | 3 | 6 | | | | | |
| 28 Blackpoll Warbler | | | H | | H | H | H | | H | | | | | | | |
| 29 Northern Waterthrush | | | 2 | 2 | | | | 2 | | | | | | | | |
| 30 White-throated Sparrow | | 2H | 8 | | 3 | 4 | | H | | 2 | 1H | | | | | |
| 31 Fox Sparrow | | 3H | | H | 2H | | | | | | | | | | | |
| 32 Swamp Sparrow | | | 2H | 1 | 1 | 1H | | 1 | 1 | 1 | | 1 | | | | |
| 33 Dark-eyed Junco | X | X | X | X | X | 6 | V | X | 2 | 3 | V | V | V | 10+ | | |
| 34 American Goldfinch | | H | XV | | H | H | | | 3 | | H | | | | | |
| 35 Pine Siskin | | 1 | | | H | | | H | | | H | | | 4 | | |
| 36 Purple Finch | | | | H | H | | | | | | H | | | H | | |
| Number of Species | 5 | 17 | 16 | 13 | 22 | 15 | 14 | 14 | 17 | 15 | 20 | 11 | 12 | 12 | | |
| Walk Leader(s) | hjc | ah | gkh | hjc | ah | gkh | hjc | ah | gkh | gkh | ah | gkh | hjc | ah | | |
| Number of Observers | 1 | 5 | 4 | 3 | 4 | 3 | 2 | 1 | 8 | 3 | 9 | 9 | 3 | 3 | | |
| Weather | DF | DF | DF | DF | RDF | DW§ | DR | DFW | S-C | S | S | RDW | CM | C | | |
| Temperature/°C | 3 | 4 | 8 | 4 | 9 | 12 | 12 | 10 | 18 | 18 | 7 | 18 | 15 | 0 | | |
| Time/hrs | ¾ | 2 | 3 | 1½ | 2¼ | 2 | 1 | 1¾ | 2 | 2 | 2 | 1 | 1½ | 1 | | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy, M = mist over pond,

* Unusual birds seen on other days. § Gusts to 100 km/h ¶ Starting time 9.00 a.m.

Botanic Garden Birds Walks 2010

| 04/30/2022 | <--- May ---> | | | < Jun > | | < July > | | < Aug > | | < Sept > | | <--- Oct ---> | | | * |
|------------------------------|---------------|-----|-----|---------|----|----------|----|---------|----|----------|-----|---------------|-----|-----|----------|
| Bird Names/Date | 2 | 16 | 30 | 13 | 27 | 11 | 25 | 8 | 22 | 5 | 19 | 3 | 17 | 31 | |
| 1 Common Loon | | | | 2 | | | | | | | | | | | 05/27-29 |
| 2 Mallard (& hybrids) | 6 | 2 | 1 | 2 | X | | V | V | V | | | 3 | | | |
| 3 Black Duck | 2 | 4 | 16 | 30 | XV | XV | XV | XV | XV | X | X | XV | 15 | 26 | |
| 4 Ring-necked Duck | | | | | | | 1 | | | | | | | | |
| 5 Osprey | | | | | | | 1 | | | | 1 | | | | |
| 6 Ruffed Grouse | 2H | 2 | 1+ | 1H | | V | | | | | 4+ | | | 2 | |
| 7 Common Snipe | | H | | | | | | | | | | | | | |
| 8 Herring Gull | 1 | 3 | V | V | V | V | V | | 2 | | | 1 | | | |
| 9 Great Black-backed Gull | | | | | X | | | | | 1 | | | | | |
| 10 Common Tern | | | | | | | | 1 | | | | | | | |
| 11 Belted Kingfisher | | 1 | | | | | 1♀ | | | | | | 1♀ | 1 | |
| 12 Common Flicker | H | 1 | | 1H | 3H | | | 1 | | 1 | 2+ | H | 1 | | |
| 13 Yellow-bellied Flycatcher | | | | 1H | 1H | | 1H | | | | | | | | |
| 14 Blue Jay | H | 1H | 1H | 2 | 3H | V | 8H | | 8 | 1 | 19 | 1 | 1 | | |
| 17 Raven | | | | | | | | | | | | H | | | |
| 16 Crow | 5 | 3 | V | 2 | 6 | V | 1 | H | XV | 1H | X | 7 | H | | |
| 17 Tree Swallow | | | | 1 | | 1 | 1 | | | | | | | | |
| 18 Black-capped Chickadee | 2 | 8 | 2+ | 3 | 2H | | X | H | X | 6 | H | 6 | | 6 | |
| 19 Boreal Chickadee | | | 3+ | 3 | 1 | | X | 2 | 6 | 1 | 1 | 6 | | 6 | |
| 20 Brown Creeper | | | | | | | | | | | | 1 | 1 | | |
| 24 Red-breasted Nuthatch | 1 | 2H | 1 | 1H | 1 | | V | H | | 2 | H | H | | | |
| 22 American Robin | 10 | 7 | V | 4 | X | XV | XV | V | X | 3 | XX | | | | |
| 23 Golden-crowned Kinglet | 2 | 5 | | 2 | 1 | | 4 | 4+ | 6 | 5 | | 10+ | | 6 | |
| 24 Ruby-crowned Kinglet | | | | | | 1H | | | | | | | | | |
| 25 Starling | 10+ | | V | 1 | X | | | | | 3 | | 2 | | | |
| 26 Red-eyed Vireo | | | | | | | | | | 1 | | | | | |
| 27 Magnolia Warbler | | | | | | | | | | 1 | | | | | |
| 28 Black and White Warbler | | 3 | | 4 | | | | | | 1 | | | | | |
| 29 Yellow-rumped Warbler | H | 7 | 1 | 2 | 4 | | 1 | 1 | 3 | | V | H | | | |
| 30 Blackpoll Warbler | | 2H | | 4 | 1 | | 1 | | 1 | | | | | | |
| 31 Northern Waterthrush | | | 1H | 3 | 2H | | | | | | | | | | |
| 32 Wilson's Warbler | | | | | | | | | 1 | | | | | | |
| 33 Common Yellowthroat | | | | | | | | | | | | 1 | | | |
| 34 Northern Oriole | | | | | | | | | | | | 1 | | | |
| 35 White-throated Sparrow | 2H | 3 | 1H | 6 | 2H | 2H | 3 | 1+ | 1 | | H | | | | |
| 36 Fox Sparrow | 2H | 1 | | | | | | | | | | 1 | | | |
| 37 Swamp Sparrow | | | | | 1H | | 1H | | 3H | | | 2 | | | |
| 38 Dark-eyed Junco | 8 | 15 | X | 8 | X | V | XV | X | X | 3 | X | V | 1 | 7 | |
| 39 American Goldfinch | | | | | 1H | | 2H | H | 1H | 3 | 7 | | | | |
| 40 Purple Finch | 5 | | | | | | 1H | | | 1 | | | | | |
| 41 Pine Grosbeak | | | | | 1 | | 2H | | | | | | | 4 | |
| Number of Species | 17 | 19 | 15 | 22 | 22 | 10 | 23 | 15 | 18 | 15 | 18 | 15 | 8 | 7 | |
| Walk Leader(s) | AH | GKH | HJC | GKH | AH | HJC | AH | HJC | AH | GKH | HJC | AH | HJC | GKH | |
| Number of Observers | 5 | 2 | 3 | 8 | 8 | 7 | 7 | 15 | 9 | 6 | 8 | 8 | 1 | 4 | |
| Weather | CF | S | CD | C | CW | SW | SC | S | CW | SW† | SC | SW | VF | SW | |
| Temperature/°C | 3 | 4 | 5 | 6 | 14 | 20 | 17 | 18 | 15 | 18 | 15 | 13 | 13 | 5 | |
| Time/hrs | 1½ | 2 | 1¾ | 2½ | 2 | 2¾ | 2½ | 2¾ | 2¼ | 2½ | 2¼ | 1¾ | 1¼ | 2 | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

†very windy, day after hurricane Earle

* Unusual birds seen on other days.

Botanic Garden Birds Walks 2009

| 04/30/2022 | < May > | | < Jun > | | < July > | | < Aug > | | < Sep > | | < Oct > | | Nov | * |
|------------------------------|---------|-----|---------|-----|----------|-----|---------|-----|---------|-----|---------|------|-----|------------|
| Bird Names\Date | 17 | 31 | 14 | 28 | 12 | 26 | 9 | 23 | 6 | 20 | 4 | 18 | 1 | |
| 1 Mallard (& hybrids) | V | X | XV | XV | XX | X | XX | | | | 6 | | 7 | |
| 2 Black Duck | | X | V | X | | X | | 6 | 18 | 5 | 9 | 9 | | |
| 3 Merlin | | | | 1 | | | 1 | | 1 | | | | | |
| 4 Sharp-shinned Hawk | | | | | | | | | 2 | | | | | |
| 5 Ruffed Grouse | H | | 3 | | | | | 5 | (H) | | | 1(H) | | |
| 6 Herring Gull | 2 | 1 | P | P | V | 2 | 2 | 3 | | | | | 2 | |
| 7 Great Black-backed Gull | | | | | 2 | | | 1 | | | | | | |
| 8 Common tern | | | 2 | | | | | | | | | | | |
| 9 Belted Kingfisher | | | | | | | | | | | | | | 06.18 – 1H |
| 10 Black-backed Woodpecker | | | | | | | | | 1 | | | | | |
| 11 Common Flicker | | H | | 1H | 1H | 2 | 1 | 1 | 5 | | | | | |
| 12 Yellow-bellied Flycatcher | | | 2 | | | 1 | | 2 | | | | | | |
| 13 Blue Jay | 2 | H | | | H | | | H | 5 | H | | | 4 | |
| 14 Crow | 1 | H | 6 | 1 | 3 | 6 | V | V | | | | | 4 | 2 |
| 15 Tree Swallow | | | 2 | 2 | 1 | | | | P | | | | | |
| 16 Black-capped Chickadee | | H | 1H | 5 | V | V | X | 2 | XX | 5 | | | 5 | |
| 17 Boreal Chickadee | 2 | | | | 4 | X | 2 | 7 | 4 | 6 | | | 2 | |
| 18 American Robin | V | H | V | 4 | V | X | X | H | 5X | X | | | 5 | |
| 19 Golden-crowned Kinglet | | 2 | 1H | | 2 | | 2 | | 4 | X | | | | |
| 20 Ruby-crowned Kinglet | 1 | 3H | 1 | 1H | | | | | | | | | | |
| 24 Red-breasted Nuthatch | | | 1H | | | | 1 | | 4 | 6 | | | 3 | 1 |
| 22 Brown Creeper | | | | | | | | | | 1 | | | | |
| 23 Cedar Waxwing | | | | | 4 | | | | 13 | | | | | |
| 24 Starling | | | 2 | 2 | 5 | | | | (H) | | | | | |
| 25 Black and White Warbler | 1 | H | 1H | 1H | | | | | | | | | | |
| 26 Yellow-rumped Warbler | 1 | X | VI | 1 | 3 | 1 | 1+ | H | 2 | 2 | | | | |
| 27 Blackpoll Warbler | | 3 | 2H | 7 | 2 | | 2+ | | (H) | | | | | |
| 28 Northern Waterthrush | H | 2H | 4H | 2H | | 2H | | | | | | | | |
| 32 Wilson's Warbler | | 1 | | 2 | | | 1 | | | | | | | |
| 30 American Redstart | | | | | | | | | | 1 | | | | |
| 31 Yellow Warbler | | | | | | | 2 | | | | | | | |
| 32 Purple Finch | 1 | 2 | 1H | | H | | | H | 4 | | | | | |
| 37 Pine Siskin | 3 | V | | | H | H | | | | | | | | |
| 34 American Goldfinch | | H | 6 | 3 | H | | | | | | | | | |
| 35 Dark-eyed Junco | | 2 | 5 | X | X | X | XX | 3 | 3X | V | 2 | 16 | 20+ | |
| 36 White-throated Sparrow | H | 2H | 5H | 8 | 2 | 2 | V | 1 | 1 | | | | | |
| 37 Fox Sparrow | | 2H | 5 | | H | | | | | | | | | |
| 38 Swamp Sparrow | | 2H | | 1H | 2 | 2 | 1 | | | | | | | |
| Number of Species | 14 | 22 | 23 | 20 | 22 | 15 | 17 | 15 | 21 | 11 | 3 | | 5 | |
| Walk Leader(s) | HJC | AH | KGH | GH | HJC | AH | HJC | AH | KGH | AH | HJC | KGH | HJC | |
| Number of Observers | 2 | 7 | 3 | 7 | 7 | 3 | 6 | 1 | 2 | 2 | 1 | 2 | 1 | |
| Weather | S | RDF | C | C | S | RDF | S | C | S | RD | RDF | RDF | CWD | |
| Temperature/°C | 12 | 6 | 8 | 12 | 20 | 13 | 15 | 21 | 14 | 9 | 6 | 3 | 5 | |
| Time/hrs | 2 | 2.5 | 2.3 | 2.3 | 2 | 2 | 2.5 | 1.5 | 2.3 | 1.8 | 1 | 2 | 1 | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

* Unusual birds seen on other days.

Botanic Garden Birds Walks 2008

| 04/30/2022 | < May > | | < Jun > | | | < -- July -- > | | | < Aug > | | < Sep > | | < Oct > | | * | † |
|------------------------------|---------|-----|---------|-----|-----|----------------|-----|-----|---------|-----|---------|-----|---------|--------------|---|----|
| Bird Names\Date | 10 | 18 | 1 | 15 | 29 | 13 | 27 | 10 | 24 | 7 | 21 | 5 | 19 | | | |
| 1 Common Loon | | C | | | 1 | | | C | 2 | | | C | | | | 2 |
| 2 Wood Duck | | A | | | | | | A | | | | A | | 1 (09.17) | | 0 |
| 3 Mallard (& hybrids) | 2 | N | 4 | 4 | 2 | 20 | V | N | 1 | X | V | N | 2 | | | 10 |
| 4 Black Duck | 2 | C | 8 | 15 | 20 | | 15 | C | 6 | XX | XV | C | V | | | 10 |
| 5 Merlin | | E | | | | | | E | | | 1 | E | | | | 1 |
| 6 Osprey | | L | | | | | 1 | L | | | | L | | | | 1 |
| 7 Ruffed Grouse | | L | 2H | 2 | | 3 | | L | | | 2 | L | 1 | | | 5 |
| 8 Greater Yellowlegs | | E | | | | | | E | 1 | | | E | | | | 1 |
| 9 Herring Gull | 2 | D | 1 | 1 | 3X | 1 | V | D | 3 | X | 1 | D | | | | 9 |
| 10 Great Black-backed Gull | | | | | V | | | | | | | | | | | 1 |
| 11 Belted Kingfisher | | | | | | | | | | 1 | | | | | | 1 |
| 12 Black-backed Woodpecker | | | | | | | | | | | | | | 1 (09.15&17) | | 0 |
| 13 Common Flicker | | | 2 | 1H | 2 | H | H | | | | 3 | | | | | 6 |
| 14 Yellow-bellied Flycatcher | | | | 1H | 2 | | 2H | | | | | | | | | 3 |
| 15 Blue Jay | | | | 3 | | | H | | H | 1 | 1 | | H | | | 6 |
| 16 Crow | 2 | | 13 | 5 | X | XX | V | | V | V | 3 | | 1+ | | | 10 |
| 17 Tree Swallow | | | 2 | 1 | 1 | 1 | | | | | | | | | | 4 |
| 18 Black-capped Chickadee | 3 | | 6 | 1 | 4 | | 6 | | 6 | | 4 | | 1 | | | 8 |
| 19 Boreal Chickadee | | | 3 | 4 | 4 | | 4 | | 6 | | 2 | | | | | 6 |
| 20 American Robin | V | | 4 | X | V | V | V | | 4 | | 4 | | | | | 8 |
| 21 Golden-crowned Kinglet | | | 1 | 1 | 2 | | 8 | | 8 | | | | | | | 5 |
| 22 Ruby-crowned Kinglet | | | 1H | 1H | 1H | | | | | | | | | | | 3 |
| 23 Red-breasted Nuthatch | H | | 2 | 2H | 1H | | 1 | | H | | | | | | | 6 |
| 24 Cedar Waxwing | | | | | | | H | | | | | | | | | 1 |
| 25 Starling | | | | | | | | | | | | | | | | 0 |
| 26 Black and White Warbler | | | 1H | 2 | | 2 | | | | | | | | | | 3 |
| 27 Yellow-rumped Warbler | | | 4 | XV | X | V | H | | 6 | | 2 | | | | | 7 |
| 28 Blackpoll Warbler | | | 3 | 2 | | | 2 | | | | | | | | | 3 |
| 29 Northern Waterthrush | | | | | 2H | H | | | | | | | | | | 2 |
| 30 Yellow Warbler | | | | 1 | | | | | | | | | | | | 1 |
| 31 Pine Grosbeak | | | 1 | | | | | | 3 | | | | | | | 2 |
| 32 Purple Finch | | | | 4 | | 1 | | | H | | | | | | | 3 |
| 33 Pine Siskin | | | | | 1H | | | | | | | | | | | 1 |
| 34 American Goldfinch | | | | | | | H | | | | | | | | | 1 |
| 35 Dark-eyed Junco | V | | V | X | X | V | V | | V | V | V | | X | | | 10 |
| 36 White-throated Sparrow | | | 6 | 2 | 4 | 2 | 2 | | | | | | | | | 5 |
| 37 Fox Sparrow | | | 1H | 2 | 2H | H | | | | | | | | | | 4 |
| 38 Swamp Sparrow | | | 1H | 1 | 2H | | | | | | 1 | | | | | 4 |
| Number of Species | 8 | - | 22 | 23 | 22 | 14 | 19 | - | 16 | 7 | 14 | - | 7 | | | |
| Walk Leader(s) | HJC | HJC | GKH | GKH | AH | HJC | AH | GKH | AH | HJC | GKH | HJC | HJC | | | |
| Number of Observers | 4 | 0 | 4 | 3 | 2 | 3 | 3 | | 4 | 3 | 5 | | 1 | | | |
| Weather | FD | RDF | CD | RDF | FCW | FS | CW | | SW | C | C | | S | | | |
| Temperature/°C | 0 | 5 | 8 | 5 | 9 | 15 | 20 | | 20 | 18 | 12 | | 3 | | | |
| Time/hrs | 1 | 0 | 2 | 2 | 2.3 | 2 | 2.3 | | 2 | 2 | 2.5 | | 1 | | | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

* Unusual birds seen on other days.

† Number of walks on which the species was recorded (total 10 walks).

Botanic Garden Birds Walks 2007

| 04/30/2022 | < May > | < Jun > | < -- July -- > | | | < Aug > | < Sep > | < Oct > | | | | | | | |
|---------------------------------|---------|---------|----------------|------|------|---------|---------|---------|-----|-----|----|-----|-----|------|----|
| Bird Names\Date | 6 | 20 | 3 | 17 | 1 | 15 | 29 | 12 | 26 | 9 | 23 | 7 | 21 | * | † |
| 1 American Bittern | | | | | | | | | | | C | | | 6/24 | |
| 2 Mallard (& hybrids) | 4 | 4 | XV | 3X | 3+9 | | 40+ | | | XX | A | X | | | 8 |
| 3 Black Duck | 2 | 4 | V | V | 6 | 34 | | X | XV | | N | V | | | 9 |
| 4 American Wigeon | | | | | | | | | | | C | | | 7.01 | |
| 5 Hooded Merganser | | | | | 1♀ | | | | | | E | | | | 1 |
| 6 Goshawk | 1 | | | | | | | | | | L | | | | 1 |
| 7 Osprey | | | | | 1 | 1 | 1 | 1 | | | L | | | | 4 |
| 8 Merlin | | | | | | | | | | | E | 2 | | | 1 |
| 9 Ruffed Grouse | 2+ | H | H | 2H | | 1 | | 1 | | | D | | | | 6 |
| 10 Herring Gull | | lots | 2 | lots | lots | V | 1 | 1 | 1 | V | | 1 | | | 10 |
| 11 Great Black-backed Gull | | | | | | | | 1 | | | | | | | 1 |
| 12 Belted Kingfisher | | | | | | | | | | H | | | | 6/22 | 1 |
| 13 Common Flicker | 2 | 3 | | 1H | 3 | | 1 | 1 | | H | | | | | 7 |
| 14 Yellow-bellied Flycatcher | | | | 1H | 3H | 2H | | | | | | | | | 3 |
| 15 Blue Jay | | H | | 1 | H | | | H | 2 | 2 | | 1 | | | 7 |
| 16 Raven | | | | | | | | | | 1 | | | | | 1 |
| 17 Crow | 1+ | lots | XX | X | 3 | 2 | H | 3H | 8 | V | | 2 | 4 | | 12 |
| 18 Tree Swallow | | | 2 | 1 | 1 | 3 | | | | | | | | | 4 |
| 19 Black-capped Chickadee | VII | H | V | 3 | 3H | 2H | X | 8 | 1 | V | | 7 | | | 11 |
| 20 Boreal Chickadee | | 3H | 1 | 1 | 4 | | V | X | 12 | X | | | | | 8 |
| 21 American Robin | XV | V | X | X | VH | X | V | V | 2 | X | | 1 | | | 11 |
| 22 Golden-crowned Kinglet | | | | | 1 | | | 4 | 6 | | | 3 | | | 4 |
| 23 Ruby-crowned Kinglet | | 1 | H | 2 | | 1H | | | | | | | | | 4 |
| 23 Red-breasted Nuthatch | 2+ | 1 | | | | | | V | 6 | 2 | | 3 | | | 6 |
| 25 Cedar Waxwing | | | | | | | | X | | | | | | | 1 |
| 26 Starling | | 2 | | 2 | H | 4 | | | | | | | | | 4 |
| 27 Black and White Warbler | | H | 3 | 4 | | | | | | | | | | | 3 |
| 28 Yellow-rumped Warbler | | X | 1 | XV | V | | 1 | V | 1 | XV | | | | | 8 |
| 29 Black-throated Green Warbler | | | | 1 | | | | | | | | | | | 1 |
| 30 Blackpoll Warbler | | H | | X | 2H | 6 | | | | V | | | | | 5 |
| 31 Northern Waterthrush | | | H | | 3H | 1H | | 2 | 2 | | | | | | 5 |
| 32 Yellow Warbler | | | | 2 | | | | 1 | | | | | | | 2 |
| 33 Wilson's Warbler | | | 1 | | | | | | | | | | | | 1 |
| 34 White-winged Crossbill | | | | | | | 2 | 5 | 12 | XV | | | | | 4 |
| 35 Crossbill sp. | | 10 | | | | 1 | | | | | | | | | 2 |
| 36 Pine Grosbeak | | | | | 2H | | | | | | | | | | 1 |
| 37 Purple Finch | | | 1 | | 2H | 3 | H | 1 | | | | | | | 5 |
| 33 Pine Siskin | | 2 | | 2 | H | | | | | | | | | | 3 |
| 39 American Goldfinch | | 2 | | 2 | H | X | | 2 | 3 | | | | | | 6 |
| 40 Dark-eyed Junco | X | XV | XV | XX | X | X | V | H | 2 | X | | | 3 | | 11 |
| 41 White-throated Sparrow | | V | H | 4 | VH | 5 | 1 | 1H | | | | | | | 7 |
| 42 Fox Sparrow | 1+H | 2H | | 1 | VH | | | | | | | | | | 4 |
| 43 Swamp Sparrow | | 1 | | | | | | | 1 | | | | | | 2 |
| Number of Species | 11 | 23 | 17 | 24 | 25 | 18 | 13 | 22 | 15 | 15 | | 10 | 2 | | |
| Walk Leader(s) | HJC | AH | HJC | GKH | AH | GKH | HJC | AH | GKH | HJC | | GKH | HJC | | |
| Number of Observers | 3 | 14 | 6 | 9 | 14 | 9 | 10 | 5 | 7 | 3 | | 2 | 1 | | |
| Weather | C | CW | CS | CS | CSW | S | S | CSW | CS | S | | CDW | RD | | |
| Temperature/°C | 1 | 18 | 4 | 19 | 16 | 20 | 25 | 17 | 18 | 13 | | 6 | 15 | | |
| Time/hrs | 1½ | 2¼ | 2¼ | 3 | 2¼ | 2¼ | 2½ | 2¼ | 2½ | 2 | | 1½ | ½ | | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded

S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

* Unusual birds seen on other days.

† Number of walks on which the species was recorded (total 12 walks).

Botanic Garden Birds Walks 2006

| 4/30/22 | < May > | | < Jun > | | <-- July --> | | | < Aug > | | <Sept> | | < Oct > | |
|------------------------------|-----------|----|---------|-----|--------------|-----|-----------|---------|-----|--------|-----|---------|----|
| Bird Names\Date | 7 | 21 | 4 | 18 | 2 | 16 | 30 | 13 | 27 | 10 | 24 | 8 | 22 |
| 1 Common Loon | | C | C | | 1 | | 1 | | | | | | C |
| 2 Mallard (& hybrids) | | A | A | V | 4 | V | V | V | 2 | V | 3 | | A |
| 3 Black Duck | 6 | N | N | X | X | X | X | X | X | 3X | XX | | N |
| 4 Pintail | | C | C | | 1♀ | 1 | | | | | | | C |
| 5 Merlin | | E | E | | | | | 4 | | | | | E |
| 6 Northern Harrier | 1 | L | L | | | | | | | | | | L |
| 7 Ruffed Grouse | 2 | L | L | H | | | | 1 | | | 1 | | L |
| 8 Herring Gull | | E | E | | | 1 | 1 | 1 | 1 | V | | 1 | E |
| 9 Belted Kingfisher | | D | D | | | | | 1 | 1 | 1♀ | | | D |
| 10 Common Flicker | | | | 1 | H | H | | 1 | | 3 | 6 | | |
| 11 Yellow-bellied Flycatcher | | D | D | 1 | 2H | 1 | | 1 | V | | | | D |
| 12 Blue Jay | | U | U | | H | 1 | 2 | | | V | H | V | U |
| 13 Raven | | E | E | 2 | H | | | H | | | 1 | 1 | E |
| 14 Crow | 4 | | | 3 | 3H | X | p | V | V | 1 | | V | |
| 15 Tree Swallow | | T | T | 1 | 1 | 2 | 2 | | | | | | T |
| 16 Black-capped Chickadee | 1 | O | O | 4 | 7 | 1 | 6 | V | V | | V | 1+ | O |
| 17 Boreal Chickadee | | | | 2 | 4 | | 6 | V | 1 | | 2 | | |
| 18 American Robin | 5 | B | B | | XX | V | | X | XX | | XX | XX | B |
| 19 Golden-crowned Kinglet | | A | A | 1 | | 1 | 2 | | | | | | A |
| 20 Ruby-crowned Kinglet | H | D | D | | 2 | | | | | 1 | | | D |
| 23 Red-breasted Nuthatch | | | | | | | | | | | 2 | V | |
| 22 Cedar Waxwing | | W | W | | H | | 2 | 2 | | | | | W |
| 23 Starling | | E | E | 3 | | | 2 | | | | | 2 | E |
| 24 Common Grackle | | A | A | 1 | | | | | | | | | A |
| 25 Black and White Warbler | | T | T | 1H | | 2 | | | | | | | T |
| 26 Yellow-rumped Warbler | 1 | H | H | 4 | X | 2+ | | V | XX | | XX | | H |
| 27 Blackpoll Warbler | | E | E | 2 | 2H | 2 | | 2 | | | | | E |
| 28 Northern Waterthrush | | R | R | 1 | | | H | 1 | | | | | R |
| 29 Yellow Warbler | | | | | | | | | 1 | | | | |
| 30 Wilson's Warbler | | | | 1H | 1♀ | | | 1 | 1 | | | | |
| 31 Pine Grosbeak | | | | | H | | | | | | | | |
| 32 Purple Finch | | | | | 3H | | | H | 1 | | | | |
| 33 American Goldfinch | | | | | H | | | | | | | | |
| 34 Dark-eyed Junco | X | | | 5 | X | V | | X | V | XX | X | V | |
| 35 White-throated Sparrow | | | | 2 | V | 1 | | 2 | V | | | | |
| 36 Fox Sparrow | | | | 2 | 4H | 2H | | 2 | | | | | |
| 37 Swamp Sparrow | | | | 1H | | | | 1 | | | | | |
| Number of Species | 9 | | | 22 | 24 | 17 | 9+ | 20 | 15 | 10 | 12 | 9 | |
| Walk Leader(s) | GH/ KH | | | HJC | AH | HJC | AH/ HJ | HJC | HJC | HJC | HJC | HJC | |
| Number of Observers | 3 | | | | 4 | 11 | 10 | 9 | 10 | 8 | 3 | 2 | |
| Weather | | RW | RW | | CW | D | | S | CW | C | CS | C | |
| Temperature/°C | | | | | 18 | 12 | | 18 | 11 | 16 | 12 | 8 | |
| Time/hrs | | | | | 2+ | 2½ | 2 | 2½ | 2¼ | 2 | 2 | 1½ | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded
 S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

Botanic Garden Birds Walks 2005

| 04/30/22 | | <-- May -> | | | < Jun > | | < Jul > | | <Aug> | | <Sep> | | <-- Oct--> | | | De |
|------------------------------|-------------------|------------|-----------------|-----|-----------|-----|---------|-----|-------|-----|-------|-----|------------|-----|----|----|
| Bird Names\Date | 1 | 15 | 29 | 12 | 26 | 10 | 24 | 7 | 21 | 4 | 18 | 2 | 16 | 30 | 26 | |
| 1 Mallard (& hybrids) | 2 | 2 | 15 ² | XV | 2 | P | P | | | 2 | 3 | 2 | C | | 1 | |
| 2 Black Duck | 5 | X | X | XX | XV | P | P | P | XX | X | X | V | A | | 9 | |
| 3 Pintail | | | | | | | | | | 1 | | | N | | 1 | |
| 4 Hooded Merganser | | | | | | | | | | 1 | | | C | | | |
| 5 Osprey | | | | | | | 2 | | | | H | | E | | | |
| 6 Sharp-shinned Hawk | | | | | | | | | | 1 | | | L | | | |
| 7 Rough-legged Hawk | [1 ¹] | | | | | | | | | | | | L | | | |
| 8 Ruffed Grouse | H | | H | H | | | | | | | 1 | | E | | | |
| 9 Spotted Sandpiper | | | | | | | | 1 | | | | | D | | | |
| 10 Great Black-backed Gull | | | | 1 | 1 | | 1 | | | | | | | | | |
| 11 Herring Gull | V | X | V | V | X | 2 | 1 | | 3 | V | 3 | | D | | | |
| 12 Ring-billed Gull | | | | 1 | | | | | | | | | U | | | |
| 13 Belted Kingfisher | | | | | | | | | | 2 | | | E | | | |
| 14 Common Flicker | 2H | | | | H | | H | H | | 1 | | | | | | |
| 15 Yellow-bellied Flycatcher | | | | H | 3H | H | | | | | | | W | | | |
| 16 Blue Jay | 3 | 1 | H | | V | | 4H | 2H | | V | H | 2 | A | | H | |
| 17 Raven | | | | | | | | | | | | | | | | |
| 18 Crow | V | V | V | 2 | 2H | X | 3 | | V | | H | V | T | | 2 | |
| 19 Tree Swallow | | | 2 | 2 | 2 | 2 | | | | | | | H | | | |
| 20 Black-capped Chickadee | V | H | V | V | V | V | | X | | | 3 | | E | | | |
| 21 Boreal Chickadee | | | V | 1 | H | | 4 | V | | | 6 | | R | | 1 | |
| 22 American Robin | XX | V | X | XV | V | V | X | 2X | | XX | XX | | | | | |
| 23 Golden-crowned Kinglet | | | | | 2 | | H | | | 1 | 2 | | | | | |
| 24 Ruby-crowned Kinglet | | 1 | 2+ | H | 2H | H | | | | | | | | | | |
| 23 Red-breasted Nuthatch | | | H | 1 | 3 | H | | | | | | | | | | |
| 26 Cedar Waxwing | | | | | | | | | | | | | | | | |
| 27 Starling | 2 | 2 | | | | | | | | 5X | | | | | | |
| 28 Yellow Warbler | | | | | | | | 1 | | | | | | | | |
| 29 Yellow-rumped Warbler | | X | X | 2 | V | X | V | 1 | | 1 | 6 | | | | | |
| 30 Blackpoll Warbler | | | | 2 | V | 3 | 2H | | | H | | | | | | |
| 31 Northern Waterthrush | | | 2+ | 2 | 2H | VH | H | H | | | | | | | | |
| 32 Wilson's Warbler | | | | 1 | H | | | | | | | | | | | |
| 33 Pine Grosbeak | | | | 1 | H | 3 | | | | | | | | | 1 | |
| 34 Purple Finch | 2+ | | H | | V | V | | 1 | | | | | | | | |
| 35 American Goldfinch | | | | | 3 | 1 | | | | | | | | | | |
| 36 Pine Siskin | V | H | 2 | | H | | | | | | | | | | | |
| 37 White-winged Crossbill | | | 2 | | H | | | | | | | | | | | |
| 38 Dark-eyed Junco | X | X | XV | XX | X | X | X | 2X | 5 | X | X | V | | | 1 | |
| 39 White-throated Sparrow | | 2+ | | H | V | V | 3 | 1 | | 1 | 3 | | | | | |
| 40 Fox Sparrow | 2+ | H | VH | 2 | 3H | H | 2H | | | | 1H | | | | | |
| 41 Swamp Sparrow | | | | | | | 2H | | | | 1 | | | | | |
| Number of Species | 14 | 14 | 18 | 21 | 26 | 19 | 18 | 13 | 4 | 18 | 16 | 5 | 0 | 8 | | |
| Walk Leader(s) | HJC | HJC | HJC AH | HJC | HJC AH | HJC | AH | HJC | HJC | HJC | AH | HJC | HJC | HJC | | |
| Number of Observers | 3 | 3 | 3 | 8 | 7 | 3 | 4H | 6 | 1 | 6 | 1 | 6 | 1 | 2 | | |
| Weather | CS | C | CD | C | S | FC | RDF | S | CS | S | R | C | RW | C | | |
| Temperature/°C | 5 | 4 | 5 | 10 | 15 | 12 | 17 | 20 | 15 | 19 | 11 | 12 | 5 | 4 | | |
| Time/hrs | 2 | 2 | 1½ | 2 | 2 | 1½ | 2H | 2 | ¾ | 2½ | 1¾ | 2 | 0 | 1¼ | | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded
 S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

Notes:-

1. April 30th
2. Includes 8 ducklings

Botanic Garden Birds Walks 2004

| | 04/30/22 | --> | < Jun > | < Jul > | < Aug > | < Sep > | Oct--> | | | De |
|------------------------------|----------|-----|---------|---------|---------|---------|----------|------|----------|----|
| Bird Names/Date | 2 | 16 | 30 13 | 27 11 | 25 8 | 22 5 | 19 3 | 17 | 31 | 26 |
| 1 Common Loon | | C | H | | | | | | | C |
| 2 Mallard (& hybrids) | 1 | A | 16 P | XX XX | 2 2 | | 1 A | X X | | |
| 3 Black Duck | 1 | N | 2 P | X X | 25 17 | 6 4 | N | V | | |
| 4 Ring-necked Duck | | C | | | | | C | | | |
| 5 Osprey | | E | | 1 | 1 1 | | 1 E | | | |
| 6 Merlin | | L | | | | | L | | | |
| 7 Ruffed Grouse | 1 | L | H | | | H | | L | | |
| 8 Greater Yellowlegs | | E | | | | | 1 E | | | |
| 9 Common Snipe | 1H | D | | | | | | D | | |
| 10 Great Black-backed Gull | 2 | | | | | | 3+ | | | |
| 11 Herring Gull | V | D | | P V V | 5 | | 1 X | | | |
| 12 Belted Kingfisher | 1 | U | | | | | 2 | | | |
| 13 Common Flicker | V | E | 2 | | 2+ 2+ | 1 | | H | | |
| 14 Yellow-bellied Flycatcher | | | | | H H H | | | | | |
| 15 Blue Jay | | T | | | | 2H | 1 2+ | | H H | |
| 16 Raven | 2 | O | | | | 1 | | | | |
| 17 Crow | XX | | | P V V | | H 2 | | | V | |
| 18 Tree Swallow | | H | | P | H 2 | | | | | |
| 19 Black-capped Chickadee | V | E | X P | V V | 2H 4 | | V | | V | |
| 20 Boreal Chickadee | 2+ | A | 1+ | | V V | 15+ 2+ | 1+ | | 1 V | |
| 21 American Robin | X | V | X P | V V | 7 X | V 2X | | XX | V | |
| 22 Golden-crowned Kinglet | | Y | | | | | | | | |
| 23 Ruby-crowned Kinglet | 1H | | 3+ | | 2+ | | 2+ | | 1 | |
| 23 Red-breasted Nuthatch | | R | | | | 1 | H 1 | | H | |
| 25 Cedar Waxwing | | A | | | 6 | H 1 | 3 | | | |
| 26 Starling | 1 | I | 2 P | | | | | | | |
| 27 Common Yellowthroat | | N | | | | | 2 | | | |
| 28 Black & White Warbler | | | 1+ | | H H | | 1 | | | |
| 29 Yellow-rumped Warbler | | | XX P | V V | 5 V | | V | | | |
| 30 Blackpoll Warbler | | | V P | V V | 5H 1 | | | | | |
| 31 Northern Waterthrush | | | V | | 2H 2H | 1 H | | | | |
| 32 Wilson's Warbler | | | 2+ | P | | H 3 | | | | |
| 33 Pine Grosbeak | | | 1 | | | H 2 | | | | |
| 34 Purple Finch | 1 | | H | | | H | | H | | |
| 35 Pine Siskin | | | | | | 5 | | H | | |
| 36 White-winged Crossbill | | | | | | 3 | | 2 | | |
| 37 Dark-eyed Junco | XX | | XV | | | 7 | X X | | V V | |
| 38 White-throated Sparrow | 2+ | | 2+ P | 2+ 2+ | 2 2+ | | H | | | |
| 39 Fox Sparrow | V | | V P | V V | 2 | | | | H | |
| 40 Swamp Sparrow | | | | | 1 H | 2 | | 1 | | |
| Number of Species | 19 | | 21 13 | 19 20 | 27 11 | 8 | 24 | 9 7 | | |
| Walk Leader | HJC | | HJC KH | HJC HJC | AH HJC | HJC HJC | AH & HJC | HJC | AH & HJC | |
| Number of Observers | 7 | | 4 4 | 7 3 | 4 7 | 2 5 | | 8 2 | | |
| Weather | S RR | CD | ? ? | CS CR | S WC | CR | | C CF | | |
| Temperature/°C | 8 | | 5 ? | ? ? | 15 21 | 23 21 | 8 | 5 8 | | |
| Time/hrs | 2¼ | 0 | 2 2 | 2 2 | 2 2 | 2 2 | 1¼ 2 | 0 2 | 1¼ | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded
 S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

Botanic Garden Birds Walks 2003

| | 04/30/22 | --> | <-- Jun | --> | | < Jul > | <Aug> | <Sep> | < Oct> | | De | | | | |
|------------------------------|----------|-----|---------|-----|-----|---------|-------|-------|--------|-----|-----|----|---|----|----|
| Bird Names\Date | 4 | 18 | 27 | 1 | 15 | 29 | 13 | 27 | 10 | 24 | 7 | 21 | 5 | 19 | 26 |
| 1 Common Loon | | | | | | | | 1 | | | | C | C | C | |
| 2 Mallard (& hybrids) | 1 | 2 | 2 | 2 | 15 | 2 | V | X | | X | V | A | A | A | |
| 3 Black Duck | 2 | 4 | 4 | 12 | 27 | 3X | 4X | X | V | X | 3 | N | N | N | |
| 4 Ring-necked Duck | | | | | | | | | | | | C | C | C | |
| 5 Osprey | | | | 1 | | 1 | 1 | | | | | E | E | E | |
| 6 Goshawk | | | | | | | | | 1 | | | L | L | L | |
| 7 Merlin | | | | | | | 1 | | | | | L | L | L | |
| 8 Ruffed Grouse | H | | 1 | | | | | | | 1 | | E | E | E | |
| 9 Great Black-backed Gull | | 2 | | | | | | | | | | D | D | D | |
| 10 Herring Gull | V | V | V | | 2 | V | 1 | V | | 1 | | | | | |
| 11 Belted Kingfisher | | | | | | H | | | | | 1 | | | | |
| 12 Common Flicker | H | | H | 2H | H | | | | H | | | | | | |
| 13 Yellow-bellied Flycatcher | | | | | | 2H | 1 | 1H | 2 | | | | | | |
| 14 Blue Jay | | 1 | 1 | 4 | 1 | 2H | 2 | 3H | | 1 | H | | | | |
| 15 Raven | | | | | | | H | | | | | | | | |
| 16 Crow | 1 | V | V | 3 | | 3 | | | H | V | | | | | |
| 17 Tree Swallow | | | 1 | | | 2 | 2 | 2 | | | | | | | |
| 18 Black-capped Chickadee | | V | 2 | 3 | | 2 | H | 3H | | H | | | | | |
| 19 Boreal Chickadee | | | 1 | 1 | | H | V | X | | | | | | | |
| 20 American Robin | V | V | V | V | V | V | X | X | 2X | | H | | | | |
| 21 Golden-crowned Kinglet | | | | | | | | | | | | | | | |
| 22 Ruby-crowned Kinglet | | 3 | 2H | V | 2H | 2H | | | | | | | | | |
| 23 Red-breasted Nuthatch | | | H | 1H | | | | | | | | | | | |
| 24 Cedar Waxwing | | | | | | | H | | | | | | | | |
| 25 Starling | | 1 | | 6 | | 6 | | 1 | | | | | | | |
| 26 Yellow Warbler | | | | | | | | | 1 | | | | | | |
| 27 Black & White Warbler | | | | | | | | | | | | | | | |
| 28 Yellow-rumped Warbler | | X | X | 2X | | V | V | X | X | | V | | | | |
| 29 Blackpoll Warbler | | | | V | 3 | 2 | 2 | 5H | 1 | H | | | | | |
| 30 Northern Waterthrush | | | 2H | 1H | | 2H | H | | 1 | | | | | | |
| 31 Wilson's Warbler | | | | 1H | | 2H | 3 | 1H | 2 | | | | | | |
| 32 Pine Grosbeak | | | | | | | | | | 1 | | | | | |
| 33 Purple Finch | 2 | | | 2 | | 2 | H | | | | | | | | |
| 34 Pine Siskin | | 2 | | V | | | H | 5H | | | | | | | |
| 35 American Goldfinch | | | | | | | | | | | | | | | |
| 36 White-winged Crossbill | | | | | | | | | | | | | | | |
| 37 Dark-eyed Junco | H | V | V | 2 | V | V | V | 5 | X | | | | | | |
| 38 White-throated Sparrow | | 3 | 2H | V | 2H | 2 | V | 2H | 10 | 1 | V | | | | |
| 39 Fox Sparrow | | H | H | V | H | V | 3H | 2H | | | 1 | | | | |
| 40 Swamp Sparrow | | | | 1H | | H | 1 | 2H | | | | | | | |
| Number of Species | 9 | 16 | 18 | 22 | 11 | 23 | 24 | 19 | 13 | 9 | 8 | | | | |
| Walk Leader | HJC | HJC | HJC | AH | HJC | HJC | HJC | AH | HJC | HJC | HJC | | | | |
| Number of Observers | 2 | 8 | 13 | 4 | 2 | 4 | 4 | 4 | 2 | 6 | 1 | | | | |
| Weather | CW | CW | S | F | F | C | C | C | S | C | F | | | | |
| Temperature/°C | 2 | 3 | ? | 6 | 5 | 18 | 15 | 20 | 19 | 20 | 15 | | | | |
| Time/hrs | 1 | 2 | 1.5 | 2 | 1 | 1.5 | 2 | 2 | 1.8 | 1.5 | 1.5 | | | | |

Roman numerals = approximate numbers, H = Heard, P = present, number not recorded
 S = Sunny, R = Rain, D = Drizzle, F = Fog, C = Cloudy, W = Windy

