MEMORIAL UNIVERSITY

OPEN CALL FOR BIDS

#TAO-012-24

DINING HALL KITCHEN EQUIPMENT

ADDENDUM #1: CHANGE IN SPECIFICATIONS

April 22, 2024

Update #1 - Model # of Conveyor-Type Dishwasher

• Replace Hobart Model #CL44-EGR-BUILDUP with Hobart Model No. CL44EN-ADV. Everything else in the Description remains the same

Remove:

2. CONVEYOR-TYPE DISHWASHER Hobart Model No. CL44EN-EGR-BUILDUP

And Replace with:

2. CONVEYOR-TYPE DISHWASHER Hobart Model No. CL44EN-ADV

Update # 2 – Replace entire section for Equipment # 4 – Refrigerated Chef Base

Remove:

4. Refrigerated Chef Base

True Refrigeration Canada ULC (CAD) Model No. TRCB-72-HC

QTY	DESCRIPTION	VENDOR'S RESPONSE	
		YES	NO
1	 Refrigerated Chef Base: 72-3/8"W base; one-piece 300 series 18 gauge stainless steel top with V edge; (4) drawers (accommodates (2) 12" x 20" x 4" pans, NOT included); stainless steel front/sides; aluminum back; aluminum interior with stainless steel floor; 4" castors; R290 Hydrocarbon refrigerant; 1/3 HP; 115v/60/1-ph; 4.4 amps; NEMA 5-15P; CULus, UL EPH Classified, CE; Made in USA 		
1	Self-contained refrigeration standard		
1	Standard marine edge top		
6	4" Castors, standard		
1	Standard Warranty: - 7 year compressor warranty; - 6 years parts warranty; - 5 year labor		
PLEASE NOTE:			
Vendor is responsible for the placement of the equipment in its final resting spot within the kitchen, ensuring it is properly leveled and all packaging removed ready for connection.			

And Replace with:

4. EQUIPMENT STAND, REFRIGERATED BASE Garland Canada Model #F2975CP

(Delfield (Garland Canada)) Refrigerated Low-Profile Equipment Stand;

75-1/4"W x 31-47/50"D x 24"H, two-section, (4) drawers stainless steel top & drawer fronts;

Front non-spill edge, ABS interior sides;

4" casters;

Side-mounted refrigeration system with electric condensate evaporator, R290 Hydrocarbon refrigerant, 1/4 hp, cUL, UL, NSF;

1 ea 3 Year parts & labor warranty standard;

1 ea 7 Year compressor warranty standard;

1 ea 10 Year warranty on full extension plus drawer system;

1 ea 115v/60/1-ph, 4.8 amps, NEMA 5-15P, standard;

1 ea Self-contained refrigeration, standard;

1 ea Mechanical housing, right side, standard.

PLEASE NOTE:

Vendor is responsible for the placement of the equipment in its final resting spot within the kitchen, ensuring it is properly leveled and all packaging removed and ready for connection.

END OF ADDENDUM